

CHESAPEAKE BAY COMPLIANCE PLAN



Stafford County Department of Planning & Zoning
1300 Courthouse Road
P.O. Box 339
Stafford, VA 22555-0339
Phone: (540) 658-8668
Fax: (540) 658-6824

www.staffordcountyva.gov

STAFFORD COUNTY
Department of Planning and Zoning
CHESAPEAKE BAY
COMPLIANCE REVIEW PLAN



RECEIVED BUT NOT OFFICIALLY SUBMITTED DATE: _____ INITIALS _____ OFFICIALLY SUBMITTED DATE: _____ INITIALS _____

PROJECT INFORMATION	PROJECT #: _____
_____	_____
PROJECT NAME	SECTION
_____	_____
ADDRESS (IF AVAILABLE)	TOTAL SITE ACREAGE
_____	_____
TAX MAP /PARCEL(S)	ZONING DISTRICT
_____	_____
LOCATION OF PROJECT	

Please select **ONE (1)** of the following as the **PRIMARY CONTACT PERSON** for this application

APPLICANT/AGENT (Provide attachment if differs):	Primary Contact Person		
_____	_____		
NAME	COMPANY		
_____	_____		
ADDRESS	CITY	STATE	ZIP
_____	_____	_____	_____
PHONE NUMBER	FAX NUMBER	_____	
_____	_____	_____	
EMAIL ADDRESS			

OWNER (Provide attachments if multiple owners):	Primary Contact Person		
_____	_____		
NAME	COMPANY		
_____	_____		
ADDRESS	CITY	STATE	ZIP
_____	_____	_____	_____
PHONE NUMBER	FAX NUMBER	_____	
_____	_____	_____	
EMAIL ADDRESS			

ENGINEER/SURVEYOR:	Primary Contact Person		
_____	_____		
NAME	COMPANY		
_____	_____		
ADDRESS	CITY	STATE	ZIP
_____	_____	_____	_____
PHONE NUMBER	FAX NUMBER	_____	
_____	_____	_____	
EMAIL ADDRESS			

Chesapeake Bay Compliance Plan

Perennial Flow Evaluation Checklist

Documents

Army Corps of Engineers' Jurisdictional Determination of wetlands with maps

Data Review—Information should be obtained from the following sources, prior to field visits:

Stafford County GIS Chesapeake Bay CRPA maps

USGS 7.5-minute quadrangle maps and current USDA Stafford County soils maps

County aerial photographs

Stafford County GIS hydrology mapping-All streams that appear on these maps need to be assessed for evaluation

Current weather conditions including the date of the last rainfall and drought conditions. The following is a list of suggested sources, use the most appropriate source:

- VA State Climatology Office <http://climate.virginia.edu/>
- Weather Underground <http://wunderground.com/>
- US Drought Monitor <http://droughtmonitor.unl.edu/>
- National Weather Service <http://www.weather.gov/lwx/>
- Local Newspapers

Field Identification Protocol ([Link to protocols](#))

North Carolina Division of Water Quality (Version 4.11). Scores ≥ 30 points – stream *assumed* perennial

Fairfax County Method (2003). Scores ≥ 25 points – stream *assumed* perennial

James City County Perennial Stream Protocol

Photo-documentation

Minimum 2 color photos clearly showing stream channel at each evaluation point

Upstream and downstream photos at 200 ft intervals taken at the time of the protocol evaluation

Date stamp/certification

Identifiable landmarks that can be verified-i.e.; flags, buildings, roads

Photo locations marked on map

Documented Observations

Completed data sheet for each reach of 200 feet

Reach identified on map

Supporting information in a written report

Overall Score Interpretation

Total score

Supporting information

Best professional judgement

Unevaluated Streams

Photo-documentation, following the above criteria of any stream that does not require evaluation

Written explanation of why stream was not evaluated

Copies

One paper copy and one digital copy of the evaluation must be submitted

Project : _____

Chesapeake Bay Compliance Plan

ADDITIONAL INFORMATION IF SUBMITTED WITH ANOTHER APPLICATION OR IS LINKED TO AN EXISTING APPLICATION

NAME OF PROJECT: _____ SECTION _____

APPLICATION NUMBER: _____

TYPE OF PLAN:

Perennial Flow Evaluation Report

Perennial Flow Evaluation Report must be submitted if there are blue lines shown on the tax map.

Major Water Quality Impact Assessment (MWQIA)

Major Water Quality Impact Assessment (MWQIA) must be submitted if there is CRPA on the site and the plan shows:

1. >5000 square feet of impacts in the landward 50 feet of the CRPA, or ;
2. Any impacts the seaward portion of the CRPA (i.e. closest to the stream).

Family Subdivision Perennial Flow Evaluation

Family Subdivision Perennial Flow Evaluation is submitted if there are blue lines shown on the tax map and the applicant of a Family Subdivision opts to have the Planning Department conduct the study.

Chesapeake Bay Compliance Plan

REVIEW FEE

Perennial Flow review fee:

< 20 acres =	TOTAL	\$ <u>500.00</u>
≥ 20 acres =	TOTAL	\$ <u>750.00</u>
Major Water Quality Impact Assessment fee =	TOTAL	\$ <u>500.00</u>
Family Subdivision Perennial Flow Evaluation fee =	TOTAL	\$ <u>500.00</u>

Technology Fee, 2.75% of Base Fee _____	\$ _____
GRAND TOTAL _____	\$ _____

Completed applications for all types of application include:

1. Signed Statement of Understanding from the owner and applicant.
2. Completed application form.
3. Review Fee.

For a Perennial Flow Evaluation Report please submit:

1. One paper copy and one digital copy of the Perennial Flow Evaluation Report

For Major Water Quality Impact Assessment (MWQIA) please submit:

1. One paper copy and one digital copy of the Major Water Quality Impact Assessment

Chesapeake Bay Compliance Plan

STATEMENT OF UNDERSTANDING:

I, as owner/co owner of the property subject to this application, do hereby certify that I have read and understood the requirements for the submission of Chesapeake Bay compliance plans for review and approval as provided under the requirements and applicable provisions of the Stafford County Zoning Ordinance for the zoning districts in which this project is located.

Signature of Owner/Co Owner Printed Name Date

Signature of Owner/Co Owner Printed Name Date

Signature of Owner/Co Owner Printed Name Date

I, as applicant or agent for the owner(s) of the property subject to this application, do hereby certify that I have submitted this application for Chesapeake Bay compliance plans for review and approval as provided under the requirements and applicable provisions of the Stafford County Zoning Ordinance for the zoning districts in which this project is located.

Signature of Applicant/Agent Printed Name Date